PRODOOR SYSTEMS

ProCore™ Series

PREMIUM doors with superior **THERMAL** efficiency

Learn more at
www.prodoorsystems.com

ProCore™ Series

ProDoor is proud to offer the ProCore Series, a premium collection of garage doors in a variety of styles, all with superior thermal performance. Each model in this line features environmentally friendly ProCore polyurethane insulation with a durable steel exterior and woodgrain surface texture. Our ProCore Series doors also incorporate a modified joint seal that improves insulation and energy efficiency.

The ProCore Series achieves extraordinary thermal values and stability, due to its environmentally friendly CFC/HCFC free ProCore polyurethane interior. The manufacturing process provides uniform insulation, superior adhesion and boosts the strength of each door panel.

Each ProCore Series panel is equipped with a revolutionary door seal tongue and groove system. The EnviroSeal System prevents air and water infiltration, while providing unmatched section strength and integrity. The seal is equipped to keep dirt, bugs, wind, snow and water out of your garage. The bulb-shaped seal and aluminum retainer on each ProCore Series door increases strength on the bottom of the door.

All Doors Feature

ProCore Insulation
Continuous polyurethane insulated core of high density foam resulting in energy saving R-Values.

Pre-painted Galvanized Steel Sheets
High-strength, rust-resistant and available in up to 12 colors to match the beauty of your home. No additional material (eg. wood) is used on our doors.

EnviroSeal Section Joint
Modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity.

Bulb Seal
Prevents air leaks.

Thermal Break
Prevents heat transfer and air infiltration.

Galvanized Steel Endcaps
Heavy duty for additional strength.

Arctic-Grade Bulb-Shaped Bottom Seal
Rust resistant aluminum retainer that increases the strength of the bottom edge of the door.

CONTENTS

Traditional Doors

ProCore Collection ..... Page 4

ProCore Elite Collection ..... Page 8

Modern Doors

ProCore Contemporary Collection ..... Page 10

Carriage House Doors

ProCore Copeland Collection ..... Page 12

ProCore Vineyard Collection ..... Page 16

ProCore Vineyard XL Collection ..... Page 18

Additional Resources

Decorative Insert Windows ..... Page 6

Metal Insert Windows ..... Page 7

Elite and Contemporary Windows ..... Page 14

Woodgrain Colors ..... Page 15

Short & Long Panel Options ..... Page 20

Short & Long Carriage Options ..... Page 21

Decorative Hardware Options ..... Page 22

Warranty Information ..... Page 23

ProCore Collection

Traditional Style Garage Doors with Superior Insulation

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- 8 Panel styles available
- 12 color options
- 20’ X 14’ max door size

ProCore
Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

EnviroSeal
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.

PROCORE 138 1 3/8" Thick Door R12 R-Value
PROCORE 200 2" Thick Door R18 R-Value

Panel Styles

Model 7422 (1 3/8") & 8422 (2")

Model 7416 (1 3/8") & 8416 (2")

Model 7411 (1 3/8") & 8411 (2")

Model 7410 (1 3/8") & 8410 (2")


Model 7413 (1 3/8") & 8413 (2")


Model 7412 (1 3/8") & 8412 (2")

Model 7414 (1 3/8") & 8414 (2")

Model 8417 (not available in 1 3/8")

Color Options

Almond Black Bronze Brown Café Desert Tan Sandstone Iron Ore Slate Grey White

Woodgrain Colors

Cocoa Hickory Honey Cedar

Please See Pages 6 and 7 for Window Options

422 and 416 panels styles are available in both woodgrain and stucco embossing.
Iron Ore, Slate Grey and Café color options are not available in the 412 panel style.
Honey Cedar and Cocoa Hickory Colors are only available in woodgrain embossing. See page 15 for more details.
Colors displayed will vary from the actual steel Color. Contact your local ProDoor dealer for Color sample.

Decorative Inserts

Ranch Clear (42" wide x 14" high)

Stockton Colonial (19.5" wide x 14" high)

Waterton Ranch (42" wide x 14" high)

Colonial Clear (19.5" wide x 14" high)

Stockton Ranch (42" wide x 14" high)

Waterton Colonial (19.5" wide x 14" high)

Prairie Colonial (19.5" wide x 14" high)

Stockton Arch (42" wide x 14" high)

Cascade Colonial (19.5" wide x 14" high)

Prairie Ranch (42" wide x 14" high)

Stockbridge Arch (42" wide x 14" high)

Cascade Ranch (42" wide x 14" high)

Stockbridge Ranch (42" wide x 14" high)

Breckenridge

Berkshire

Frame Color Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.

Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Woodgrain Frame Color Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.

Cocoa Hickory

Honey Cedar

Glass Styles

Clear

Satin

Obscure

Dark Tint

Black Satin

Metal Inserts

Window Style

Stockton 4 (19.5" wide x 14" high)

Stockton 6 (19.5" wide x 14" high)

Stockton 10 (42" wide x 14" high)

Prairie Colonial (19.5" wide x 14" high)

Prairie Ranch (42" wide x 14" high)

Insert Material



Round Bar
3/8" (10 mm) round bars available in pewter.



Square Bar
3/8" (10 mm) square bars available in black.



Aluminum Grid
5/8" (16 mm) grids available in Sandstone, Desert Tan, Almond, Bronze, Brown, Café, Slate Grey, White, and Black.

Frame Color Options Frame matching for all metal inserts. Frames on the inside of the door are white.

Almond | Black | Bronze | Brown | Café | Desert Tan | Sandstone | Iron Ore | Slate Grey | White

Woodgrain Frame Color Options Frame matching for all metal inserts. Frames on the inside of the door are white.

Cocoa Hickory | Honey Cedar

Glass Styles

Clear | Satin | Obscure

ProCore Elite Collection

Traditional Style Garage Door with an XL Top Section Featuring 20% Larger Windows

Featuring

- 24" Top section with extra large windows
- 2" (R18) section thickness
- 7 Panel styles available
- 12 color options
- 18' X 14' max door size

ProCore
Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

EnviroSeal
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.

PROCORE 200 ELITE 2" Thick Door R18 R-Value

Panel Styles



Model 9422

Model 9416

Model 9411

Model 9410

Model 9413

Model 9412

Model 9414

Color Options

Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Woodgrain Colors

Cocoa Hickory

Honey Cedar

Please See Page 14 for Window Options

9422 and 9416 panels styles are available in both woodgrain and stucco embossing.
Iron Ore, Slate Grey and Café color options are not available in the 9412 panel style.
Honey Cedar and Cocoa Hickory colors are only available in woodgrain embossing. See page 15 for more details.
Colors displayed will vary from the actual steel color. Contact your local ProDoor dealer for color sample.

ProCore Contemporary Collection

Modern Style Garage Doors With Customizable Window Placements

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- 2 Panel styles
- 12 Color options
- 3 Window styles
- 20x14' max door size

ProCore
Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

EnviroSeal
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.

PROCORE 138 CONTEMPORARY — 1 3/8" Thick Door — R12 R-Value
PROCORE 200 CONTEMPORARY — 2" Thick Door — R18 R-Value

Panel Styles

Flush



Plank

Color Options

Almond

Black

Bronze

Brown

Café

Desert Tan

Iron Ore

Sandstone

Slate Grey

White

Woodgrain Colors



Cocoa Hickory



Honey Cedar

Window Options



Colonial

Ranch

Aluminum



Clear — Smoke

Slim

Single



Double

Aluminum and slim windows are only available on the 2" contemporary model.

Popular Contemporary Configurations:



Please See Page 14 for Window Options

Flush and Plank panels styles are available in both woodgrain and stucco embossing.
Honey Cedar and Cocoa Hickory Colors are only available in woodgrain embossing.
Colors displayed will vary from the actual steel color. Contact ProDoor Manufacturing for color sample.

ProCore Copeland Collection

Carriage House Style Door Featuring Inlay Patterns and Extra Large Windows

Featuring

- 24" Top Section With Extra Large Windows
- Recessed Smooth Long Section and Carriage House Inlays
- 2" (R18) Section Thickness
- 5 Panel Styles
- 9 Color Options
- 18' x 12' Max Door Size

ProCore
Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

EnviroSeal
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.

PROCORE 200 COPELAND 2" Thick Door R18 R-Value

Panel Styles


A-Buck


V-Buck


X-Buck

Bi-Fold

Swing

Color Options

Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Slate Grey

White

Window Options 43.5" wide x 17" high

Rectangle

Wrought-Iron

4-Over-4

4-Pane

Clear

Two-Piece Arch

Wrought-Iron

4-Over-4

4-Pane

Clear

Glass Styles

Clear

Satin

Obscure

For full details on window availability please see Page 15.
Colors displayed will vary from the actual steel color. Contact ProDoor Manufacturing for color sample.

ProCore Elite & Copeland Windows



Standard Window Sizing

ProCore Elite & Copeland Window Sizing (20% Larger than a Standard Long Window)

Window Options 43.5" wide x 17" high

Rectangle

Wrought-Iron

4-Over-4

4-Pane

Clear

Two-Piece Arch

Wrought-Iron

4-Over-4

4-Pane

Clear

Glass Styles

Clear

Satin

Obscure

Frame Color Options Frame matching for all decorative inserts. Frames on the inside of the door are white.

Almond | Black | Bronze | Brown | Café | Desert Tan | Sandstone | Iron Ore | Slate Grey | White | Cocoa Hickory | Honey Cedar

Contemporary Windows

Window Options

Short (19.5" W x 14" H)

Long (43" W x 14" H)

Aluminum



Clear | Smoke

Glass Styles

Clear

Satin

Obscure

Dark Tint

Black Satin

Slim

Single (35" x 7.5")



Double (70" x 8.5")

Frame Color Options Frame matching for all decorative inserts. Frames on the inside of the door are white.



Almond | Black | Bronze | Brown | Café | Desert Tan | Sandstone | Iron Ore | Slate Grey | White | Cocoa Hickory | Honey Cedar

Aluminum windows are only available in Clear and Satin glass. Frame matching is not available for Aluminum windows.
Slim windows are only available in Clear, Satin and Black Satin glass. Honey Cedar and Cocoa Hickory doors come standard with black slim windows.

Woodgrain Colors

ProCore's Woodgrain colors are crafted with cutting-edge high-definition digital print technology to replicate the timeless beauty of real wood.

New colors are available in the following models: ProCore, ProCore Elite and ProCore Contemporary. These new colors are offered in two designs:

Dual-Directional Design
Available in these panel styles:

- Model 411
- Model 410
- Model 413
- Model 412
- Model 417 (2" only)

Plank Design
Available in this panel style:

- Model 422

Cocoa Hickory

Honey Cedar

ProCore Vineyard Collection



Carriage House Style Door With with Flush Section and Fibrex® Overlay Boards

Featuring

- Flush door section with Fibrex® Overlay Boards for a Carriage House appeal
- Overlay Boards have Beveled Edges and Mitered Corners
- 1 3/8" (R12) Section Thickness
- 6 Panel Styles
- 6 Color Options
- 2 Overlay Board Colors
- 16' x 10' Max Door Size

ProCore
Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

EnviroSeal
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.

PROCORE 138 VINEYARD

1 3/8" Thick Door

R12 R-Value

Panel Styles

Style 2

Style 2

Style 3

Style 4



Style 5



Style 6

Color Options

Overlay Board Options

Window Options

One Pane

Three-Over-Three Pane

One-Pane Arched



Three-Over-Three Arched

Three Pane

Glass Styles

Clear

Colors displayed will vary from the actual steel color. Contact ProDoor Manufacturing for color sample.

ProCore Vineyard XL Collection

Three-Section Carriage House Style Door Featuring Fibrex® Overlay Boards

Featuring

- 3-Section Flush door section with Fibrex® Overlay Boards for a Carriage House appeal
- Overlay Boards have Beveled Edges and Mitered Corners
- 2" (R18) Section Thickness
- 6 Panel Styles
- 1 Color Option
- 2 Overlay Board Options
- 16' x 10' Max Door Size

ProCore
Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

EnviroSeal
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.

PROCORE 200 VINEYARD XL

2" Thick Door

R18 R-Value

Panel Styles

Style 2

Style 2

Style 3

Style 4

Style 5

Style 6

Color Options

Overlay Board Options

Window Options

One Pane

Three-Over-Three Pane

One-Pane Arched

Three-Over-Three Arched

Three Pane

Glass Styles

Clear

Colors displayed will vary from the actual steel color. Contact ProDoor Manufacturing for color sample.

Short Panel Chart

Sizes Available

4'2" - 5'11"



6'0" - 7'10"



7'11" - 9'10"



9'11" - 11'10"



11'11" - 13'9"



13'9" - 15'9"

15'10" - 18'11"



19'0" - 19'7"

19'8" - 20'2"

Long Panel Chart

Sizes Available

4'2" - 7'10"

7'11" - 11'0"



11'11" - 15'9"

15'10" - 19'7"



19'8" - 20'2"

Short Carriage House Panel Chart

Sizes Available

8'0" - 11'11"



12'0" - 15'11"



16'0" - 20'2"



Long Carriage House Panel Chart

Sizes Available

8'0 - 11'11



12'0 - 15'11



16'0 - 20'2



Decorative Hardware

16" Cast Iron Spear Hinge Assembly

16" Cast Iron Spear Hinge

16" Stamped Spade Hinge

16" Cast Iron Colonial Hinge

Keyed + Dummy Spade L-Handle

Keyed + Dummy L-Handle

Cast Iron Colonial Pull Handle

Cast Iron Spear Pull Handle

Arched Cast Iron Fleur-De-Lys Pull Handle

Stamped Spade Pull Handle

Cast Iron L-Handle Long Dummy Handle

Cast Iron Fleur-De-Lys Dummy Handle

Cast Iron Colonial Lift Handle

Cast Iron Spear Lift Handle

Cast Iron Fleur-De-Lys Lift Handle

Stamped Spade Lift Handle

Cast Iron Lion's Head Door Knocker

Cast Iron Fleur-De-Lys Door Knocker

Cast Iron Door Studs

Magnetic Hardware

Manor Collection

Colonial Collection

Mission Collection

PRODOOR SYSTEMS

ProCore Series Warranty

ProDoor warrants door sections against deterioration due to "rust through" and/or "delamination" and all hardware components. See below for details used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for as long as the original purchaser owns the home;
- Trim boards on Copeland, Vineyard & Vineyard XL door systems are warranted against delamination for a period of five (5) years.
- Standard Hardware components are warranted for three (3) years. Standard Hardware Plus hardware components are warranted for as long as the original purchaser owns the home.

Springs
ProDoor warrants all spring assemblies used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for a period of three (3) years from the date of delivery to the original purchaser.

Glass
ProDoor warrants its sealed glass windows for five years from the time of purchase against the formation of condensation within the sealed unit. ProDoor will only replace the windows if there is a seal failure. Broken or cracked glass is not covered by any warranty. This warranty does not cover windows or window parts that have been removed from an initial installation and reinstalled in any structure.

Painting
Your ProDoor residential garage door is already protected with a long-lasting finish. No additional painting is required. ProDoor will not warrant any instances of rust, blistering or delamination if third-party paint is applied after purchase.

PRODOOR SYSTEMS

LOCATIONS

6030 Gateway Drive, Plainfield IN, 46168 • 317-839-3050

4670 Interstate Drive, Cincinnati OH, 45246 • 513-645-1290

1649 Joe B Jackson Parkway A1 Murfreesboro, TN 371278 • 615-558-2030

1900 W 65th Street Ste 12, Little Rock AR, 72209 • 501-534-9001

10401 Miller Road Ste 400, Dallas TX, 75238 • 214-276-0790

Learn more at
www.prodoorsystems.com